Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Note New Address

FRANK W. CAMPBELL

1112 Pinehurst, Route 6, Royal Oak, Mich.

FORMERLY

7521 Dunedin Street, Detroit Also on old lists, 2233 LaMothe Ave., Detroit

Having concentrated my nursery from scattered plantings I am also concentrating on the more generally usable plants of the thousands of new or rare items I have tested during the past 15 years. Most of these flower perfectly the first year, a point constantly brought to my mind by customers who call at my nursery.

A new sedum-Name unobtainable, but it A new sedum—Name unobtainable, but it probably belongs to the album group, but is dwarfer than dasphyllum and its clear green makes it look like a 1/3 size sedum acre minor. Only ½ inch high, creeps into a dense mat, and is a dark green. This will fit crevices in rockeries nicer than any plant I know of and in general is quite a "find." Very few plants available. A few potted well established plants at \$1. Apparently, this is a gentically new and groud parently this is a genuinely new and good

Anemone cylindrica or Candle anemone-A slow creeper by deep underground stolons. About a foot high with large clear green leaves, and inch wide ivory white upright flowers during a long period in June and July, for sun or slight shade. A good ground covering plant that seems to do well anywhere, as I have tested it well.
This plant came from Thibet some years
ago, although it occurs in America in places. 25c, or \$1 per dozen.

Achillea nana-2" grey leaved, white flowered creeper, feathery leaved, sun and ordinary soil, or between stepping stones. 3 for \$1.00.

Arenaria montana or Mountain sandwort-Close grey tufts, profusely covered with silvery white flowers from midsummer on. Excellent as an edging plant in formal gardens and for rockeries in sunny places. Flowers resemble ½" white, upturned morning glories. Very satisfactory doer. 8" high. 3 for \$1.00.

Bellium minutum-A dainty miniature that throws out numerous runners and so forms a wide mat, covered in summer with perfect shaped ½" white daisies on 1" stems. Fine for sunny niches in rockery.

3 for \$1.00.

Caryopteris mongoliensis—Compact grey leaved shrubby 2' perennial, with blue flowers in late summer. A new shrub that roots as it slowly creeps, a very fine rockery roots as it slowly creeps, a very fine rockery and bedding plant. Aromatic scented leaves, in fact it is like a sage-brush with blue flowers. Likes dry, poor, sunny place. Blooms first year. Good cut flower, 75c.

Dianthus "Alpwood"—Similar to the clove

pink of old-time gardens, and as pleasantly fragrant. 8", blooms midsummer and autumn, dark pink with darker eye, 1" wide. A new hybrid between alpinus and a cultivated variety. 35c.

Dianthus alpinus—Compact ball of shiny green foliage three inches high with light pink flowers in June or stems 1" above the foliage. A gem. 50c.

Draba fladnizensis or Arctic whitlowgrass -A rock-plant which has flat masses of neat

—A rock-plant which has nat masses of near foliage, with white flowers in spring; fine neat crevice plant. 3 for \$1.00.

Draba repens—Very small leaved fast creeper, with bright yellow flowers in spring. About 2". Blooms before last snow flies but is perfectly hardy as sleet and freezes that the statement of th just seem to prolong the bloom. 3 for \$1.00.

Siberian Iris "Emperor"—Purple blue. A fine iris, the haft being especially wide, 3'. 50c.

3'. 50c.
Siberian Iris "Kingfisher" — Taller and slightly larger than Emperor. Same color. More flowers to stem also. \$1.50.
Siberian Iris "Kingfisher Blue"—Light blue, same color as the popular but smaller Perry Blue. Much taller and rhizomes are

Perry Blue. Much tand.
larger. \$1.50.

Spuria Iris "Ochroleuca"—Producing late in May 3' high stems with an abundance of very distinct creamy yellow flowers, with orange center. 35c.

Physostegia "Vivid"—Everyone wants

This is a much

rnysostegia "Vivid" — Everyone wants autumn flowering plants. This is a much freer, 1', pinker form of the wild Virginia false dragon-head, with solid masses of bright pink. Tolerates damp places. bright pink. Tolerates damp places. Ought to be in clumps for best effect. 25c, 10 for \$1.50.

Potentilla fruticosa purdomi—Pale yellow flowers in the spring and scattered yellow flowers all summer, very fine, 2', new, very good and lasts a lifetime. \$1,

Potentilla verna nana—Glossy leaves in 3" high close mats. Yellow flowers in summer. 50c.

Prunus besseyi—Shrub to 5', spreading wider, absolutely covered with white flowers very early in spring, followed by black cherries, Leaves have a pleasing sheen. Tolerates very poor soil. Beautifully colored autumn foliage. 100 very fine bushy plants. \$1.00.

Sedum "Ellacombianum"-An oval leaved slow creeper, doing well on poor soil in sun, in spring leaves are a cheerful green rosette, in late autumn they turn a brilliant red, extremely valuable, flowers yellow in July. 50c, or 5 for \$1.00.

Landscapers and Nurserymen can be supplied at reduced prices if the quantity warrants. Submit your wants for a quotation.

ROCKY MOUNTAIN

The pareket, or 7 for 81. 8d post free in Chrysothamius nauceanus, Alkaline, July-Brighand or colonies.

September, yellow, 2-3 ft., shrubby.
Personal checks in U. S. dollars accepted. Cinicity clara, clara.

Quantity prices given on request. Cinicity lacinista, flowers in long upright Quantity prices given on request.

Some are very scarce and will sell out

soon, and two collectors are discontinuing so perhaps some will not be again available for years.

An alternative list is desirable. All this list of seed in stock now.

ALSIALA JOLDONASSIA, a voint mer lowering fine foliaged, quick growing tree, from Korea, Hardy in southern Ohio Collonia grandiffora, and probably firrther north. Liberal pack—dron grandiffora, a sof some seed that came in very fresh.

Abrenia latifolia, yellow, sand,
Abrenia latifolia, yellow, sand,
Appure saud,
Ap ALBIZZIA JULIBRISSIN, a valuable sum-

or moss, toliage big and fragrant, pure sand, Achlys triphylla, Sweet-after-death, old logs or moss, foliage big and fra

Aquilegia formosana Aquilegia truncata, red and yellow. Arbutus menziesi, Madrona (Ac) red berried

Arctostaphylos tomentosa (Ac) fis. pink.

maroon bark, evergreen, 15.
Arisaema triphyllum, Jack-in-the-pulpit. (N)
Low moist loam, part shade, fis. June,
fine red berries Aug.-Sept.

Artemisia tridentata sagebrush, Alkaline, July-September. yellow 3 ft. shrub. Asarum caudatum, moist, very shady, ma-

Asclepiodora decumbens. An odd milkweed,

Found on dry hillsides, sprawling over freiphyllum rocks, very fragrant, greenish white.

Aster tortifolius, "Desert Aster," Perennial, Erysimum 1 to 2 feet high, branching from a woody base. Flowers large, clear lavender, with Erythree very flowers large, clear lavender, with Erythree very Astragalus utahensis. Clean purple in clusdecp yellow center.

ters, early, 2" high, a delight for a dry, sunny, alkaline position.

Azulea occidentalis (Ae) damp, fis. white to pink, 1-10'.

Balsamorrhiza macrophylla. The largest of this interesting genus, Foliage fern-like and, as the name indicates, very large. For Balsamorrhiza hirsuta. A low growing yellow flow flow edoplant very desirable for hot

Balsamorrhiza sagittata. The foliage is ar-Calypso borealis (Ac) shade, old evergreen Brodiae grandiflora, very dry, deep blue, 6". Brodiae lactea, moist shade or ordinary soil. dry situations.

Campanula rapunculoides. Campanula rotundifolia, Harebell, Neutral, Gentiana sceptrum needles or moss, pink, 4-10".
Camassia azurea, blue, on slender stem.

doer, sun | Gilin 2-3 ft., cusy July-October, blue, or shade,

hs. white, 18".

Darlingtonia californica californica californica californica devoitum columbianum, damp, blue purple, Delphinium cardinale, searlet.

Actue rubra, Red baneberry, damp woods, Delphinium columbianum, blue, 4 ft. high. Schode, red berries, 2", plane, pink, Dicentra chrysantha, bright yellow, sun, Allium acuminatum. Neutral, June, pink, Dicentra chrysantha, yellow, sand, hall Anemone quinquetolia, American wood aue- shade.

Aquilegia canadensis, American woods, sun. fis.

Disportum trachycarpum.

Dodecatheon hendersoni, acid, rose to crimbine. Low moist loam, sun or shade, fis.

Podecatheon iffersi var. redelens, Probably best of all "shooting stars."

Aquilegia flavescens. For damp places. Flow.

Dodecatheon pauciflar.

Bodecatheon pauciflar.

Bodecatheon pauciflar.

Dodecatheon pauciflar.

Dodecatheon pauciflorum.

Dodecatheon salinum. Light pink or white, very early, bulbous root. grows in decidedly alkaline meadows in soil that is dust dry in summer—when the foliage disap-

Arremisia atomifera. Alkaline, August, pale Eriodictyon angustifolium or Yerba santa. Arlemisia tridentata sagebrush, Alkaline, Arremisia tridentata sagebrush, Alkaline, Erigeron divergens.

Erigeron divergens.

al, Erysimum asperum, Rough blistereress. Luchome vellow, dry, 1-3.

th Erythronium giganteum, acid, dry or moist. Luchter white, morted leaf, 6-10.

Erythronium grandilorum var. robustum, Erythronium grandilorum var. robustum, Luchter leaf, dry or moist, Luchter and maroon, mottled leaves, and maroon, mottled leaves.

Erythronium montanum. 10

Euploca convolvulacea, annual, satiny-white bells. dry. sunny, long period of bloom. Euphorbia marginata.

lavender-blue, 10 in.

Canachus thyrsifours.

Canachus thyrsifours.

Canachus thyrsifours.

Canachus thyrsifours.

Canachus thyrsifours.

Canachus thyrsifours.

Chimathis manciants.

Canachus thyrsifours.

Chimathis manciants.

Canachus thyrsifours.

Chimathis manciants.

Chimathis manciants.

Chimathis manciants.

Chimathis manciants.

Canachus thyrsifours.

Chimathis manciants.

Charkis cocumin rose purple.

Chimathis manciants.

Cheene servitati.

Chimathis manciants.

Cheene servitati.

Cheene

half Hosackia bicolor.

Hosackia

Iris bracteata, deep yellow, 6". irs chrysophyla, white or yellow, 3.9". Iris tenax, Oregoniris, deep blue, 6.8". Iris versicolor, Blueflag iris.

Lasthenia glabrata. (Ac) yellow, damp. Lathyrus splendens, crimson pea. Lathyrus torreyl Lavatera assurgentifolia, rose purple, 6', Layia elegans, gold and white. Linnae borealis americana, Twin flower (Ac)

Epilobium.

Epilobium.

Epinase borealls americana, 1 well-drained soul.

Engeron compositus var. trifidus, sandy

sand, large white flowers, 3".

Lupinus argenteus (Alk), blue, dry, 2'.

Erigeron linearis, Alkaline, June-July, violet.

Lupinus brittoni.

Erigeron speciosa.

Erigeron s

whorls.

Lupinous formosus. Perennial, of spreading Penstemon nemoralis, 2 ft. high, magenta habit. I to 2 feet high. Flowers purple. Plue or lilae.

Penstemon ovatus. Hardy perennial 3-4 ft.

Malvastrum coccineum, "False mallow", Al-kaline, June-August, orange scarlet, 20 Pentstanon secundiflorus, Violet blue on 2'

Fritillaria pudica, yellow, 4-6".

Fritillaria pudyi.

Geranium. Most mentzelia nuda, Neutral. July, white, 3 ft. foreavine. Sepadulus. Most mentzelia ornata, Neutral. July, white, 3 ft. foreavine. Most mentzelia ornata, Neutral most mentzelia. Mos

nchilcafolia, yarrow gilia. Neutral, July. Micromeria douglasi, erceper with seented folian are a scarlet biennial, 1-2'.

Microseris natans. A small tuberous rooted plant bearing in early spring yellow flow.

amethyst

Pedicularis. groenlandica, Elephants' heads, damp, pink or red, 6-10". Penstemon albidus, Neutral, June-July, White, 10 in. Pedicularis densiflora, dry, bright red.

Pentstemon antirrhinoides, yellow, sun. Pentstemon entirathifolius, red. Pentstemon diffusis Pentstemon eatoni. Brilliant scarlet without

Lupinus hirsutissimus, "Hairy Lupine." An nual, 13½ to 2½ feet high. Flowers large, deep reddish purple, Flowers large, Lupinus natus." Annual, 10 inches high. Very showy plant; flowers rich blue and white, fragrant.

Lupinus succulentus, Annual, 1 ft. high. Pentstemon platyphyllus. A woody, long lived species. Flowers violet purple. Pentstemon procerus. Violet purple. In ordinary garden.

Lupinus historia pentstemon partyphyllus. A woody, long lived species. Flowers violet purple. Pentstemon procerus. Violet purple. Pentstemon procerus. Violet purple. A mondy soil. Pentstemon richardsoni. Stems procumbent. Linaria vulgaris, Common toadflax. in ordinary garden.

Penstemon richardsoni. Stems procumbent, branches 2 ft. tall: foliage delicately lobed; flowers deep pink.

in great clumps, spreading 4-5 Flowers rich blue, in dense panicles perennials for the border: stems 3-4 in great clumps, spreading 4-5

Phacella grandlifora, rosy lavender, sun. Phacella parryl, purple, sun. Phacella harryl, purple, sun. Phox divaricata, Blue phlox, (Ac or N). Edge of woods, flowers pink or lavender, carly spring.

Phlox pilosa, Downy phlox, (Ac or N). High light soil, sun or shade, fis. lavender June, 6-12".

early, 6-10"

rayless radbeckia. and a thrifty

Rudbekia purpurea.

Ralvia patens.
Salvia patens.
Salvia patens.
Sandiariaria canadensis, Bloodroot (Ae or N), Low damp sandy loam or woods, shade, pure white fis. early spring, 4-18", easy doer and very fine, juice is a red dye.
Saxifraga Mertensiana (Bulbiets),
Saxifraga sierrae.
Savifraga sierrae.
Savifraga sierrae.
Sielme pathulffollum, dwarf, bright yellow.
Silene Douglasii.
Silene Latifolia.

ut Silene rosmeri.

vi Sisyrinchium bellum, blue, 6-8".
Sisyrinchium bellum, blue, danty, blue on slender stems. Stems usually 2-branched.

Smilacina reacemosa.
Smilacina stellata, woods, white, 6".
Sphaeralcea rivularis. 6', pink small hollyhock-like flowers. pinnata, golden plumes. 2' dry, Stanleya pl

Sphaeraleea cuspidata, searlet hollyhock like, 3', bushy.
Synthyris reniformis. Blue, on upright ra-Streptopus amplexifolius Sphaeralcea cuspidata,

Pentstemon laevigatus, var. digitalis, very Synthyris rotundifolia. Blue, racemes shorter color.

Pentstemon nemoralis. 2 ft. high, magenta color.

Pentstemon nemoralis. 2 ft. high, magenta synthyris rotundifolia. Blue, racemes shorter color.

Pentstemon nemoralis. 2 ft. high, magenta synthyris rotundifolia. Blue, racemes shorter than those of above plant, shade.

Pentstemon palmeri. The loveliest of the pentstemon genus.

Pentstemon palmeri. The loveliest of the pentstemon platyphyllus. A woody, long show proststemon platyphyllus. A woody, long woods, fis. purplish red, 8-16".

Trillium erectum, Purple trillium, Ac. Moist woods, fis. purplish red, 8-16".

Trickimon grandiflous. A grandiflous. A gigantic dandelint ordinary garden.

Vancouveria hexandra. Low herb with foliage of unique shape and dainty clusters of white flowers: 1 ft.

Vernonia fasciculata, Ironweed,



Mostly New And Rare Rockery Plants

Some Never Before Listed in America. All Hardy in Michigan.

Achillea argentea. Achillea ageratifolia. Achillea tomentosa. Amsonia tabernaemontana, 20c. Arabis sturi, 50c. Arabis procurrens. Arenaria grandiflora, sour soil, white blooms on 6-inch stems, for 3 months. Arenaria verna, 15c. Arenaria verna aurea, 75c. Armeria laucheana, 20c. Archenatherum bulbosum, 15c. Artemesia frigida, 20c. Asclepias incarnata alba. Asclepias tuberosa. Aster "Mauve Cushion," 20c. Aspilia buphthalmiflora, 75c. Baccharis halimifolia, bushy, 40c. Bellium minutum, 3 for \$1.00. Boltonia latisquama nana. Calamintha alpina, 20c. Calamintha grandiflora, 75c. Campanula turbinata, a very free and large blooming form, 50c. Caryopteris mongolica, 75c. Caryopteris tangutica, 50c. Clematis fargesi, \$1. Clematis tangutica, 50c. Cotula squallida. Cydonia pygmae, \$1. Cydonia wilsoni, \$1. Dianthus pritchardi, 50c. Epilobium macropus, 50c. Epilobium mummularifolium, 15c. Epilobium obcordatum. Epilobium rosmarinifolium. Epimedium niveum, 30c. Epimedium, 5 colors for \$1.50. Erigeron leiomerus, 75c. Erysimum pumilum. Eustoma russellianum, 50c. Filipendula camtschatica. Filipendula venusta. Forsythia ovata, 1 ft. plants, \$1. Galax aphylla. Gaura coccinea, 20c. Geranium pylzowianum, 50c. Geum heldreichi. Glaux maritima, 50c. Hedera helix baltica, 75c. Hepatica triloba, 15c. Helenium "Crimson Beauty." Helenium "Riverton Gem." Helianthus maximiliani, a pale yellow 5-foot wild sunflower of merit. Herniara glabra. Hipiscus or Mallow Marvels, in red or pink. Hutchinsia alpina. Hutchinsia auerswaldi, 75c. Hypericum gracilis, 50c. Hypericum fragilis, 75c.

Jasione perennis.

Lavender cotton, 20c.

Linaria aequitriloba, 20c.

Lonicera syringantha, \$1.

Lithospermum canescens, 20c. Lonicera heckroti, \$1. Lonicera korolkowi floribunda. \$1.50.

In this condensed list are some rarely good items and reasonable prices considering they are Delivery Free. Besides rockery use they are fine for low bedding plants, edging driveways and as

ground covers.

If no price is given they are 25c each or 6 for \$1. Those with different prices quoted are 10 for price of 6.

Sedum, thyme, veronica are fine groups. I will send correctly named 10 different of any group for \$2. The 3 groups for \$5.

Some of the following varieties have been propagated from one that showed exceptional merit and in one case you will get a three months bloom instead of seedlings that give two weeks bloom, as is commonly offered.

Lysimachia nummularia, 10c.

Lysimachia nummularia, a yellow leaved form, \$1.00.

Lythrum roseum superbum. Malvastrum coccineum, 20c.

Mazus rugosus, 20c.

Micromeria rupestris, 35c. Muehlenbeckia nana.

Nepeta mussini,

Pentstemon digitalis var. laevigata, a very white form, plants 15c, or seed for naturalizing 25c a liberal packet.

Pentstemon eatoni.

Physocarpus monogyna, shrubby nice plants, 75c.

Phlox "Firebrand," very red. Phlox "Betty Lou," orange red.

Phlox procumbens caerulea. Populus generosa, 5 ft. specimens, \$1.50,

cuttings \$5 per 100. Polemonium reptans.

Potentilla chrysocraspeda.

Potentilla cinerea.

Potentilla fruticosa, a selected free blooming variety, 50c. Potentilla purdomi, similar to above but

lighter yellow, 75c.

Potentilla recta, 15c. Potentilla tonguei, 50c. Potentilla verna nana, 35c.

Pratia arenaria, 50c.

Ruellia occidentalis.

Sambucus canadensis maxima, large shrubs, 75c, suckers at \$10 per 100.

Santolina chamaecyparissus, 20c. Satureia montana, 20c.

SEDUM acre, small leaved form, 20c.

Sedum acre, very large form, 75c. Sedum album, 15c.

Sedum album var. brevifolium, 25c. Sedum album, a very compact form, 50c.

Sedum album, a minute form, 75c.

Sedum colinum.

Sedum ewersi homophyllum, 75c.

Sedum gracile.

Sedum hybridum, a fine groundcover.

Sedum lydium, 20c. Sedum nevi.

Sedum obtusatum (true), 30c.

Sedum oregonum, very fine, 30c. Sedum rupestris, 20c.

Sedum sarmentosum, 15c.

Sedum "Silver," dwarf silvery mat, 20c. Sedum spectabile "Brilliant."

Sedum spurium coccineum.

Sedum spurium oppositifolium.

Sedum ternatum, 15c. Shortia galacifolia, 20c.

Silene maritima, 20c. Silene rubicunda, 30c.

Silene schafta. Sophora japonica, small, in pots, 50c.

Sophora vicifolia.

Spirae decumbens, \$1.00.

Spirae normani, \$1.00. Spirae sargenti, \$2.00.

Stachys corsica, a very dwarf rockery plant of great merit, 30c.

THYMUS citriodora, fragrant foliage.

Thymus citriodora, foliage edged gold, 35c. Thymus lanuginosus, 20c.

Thymus looymansi,

Thymus membranaceous (true), \$2.

Thymus nitida, 50c.

Thymus serpyllum is a very dwarf extremely variable variety. Sun and poor soil suits them. Fragrant foliage.

Thymus serpyllum album, solid white mass only 1/2 inch high.

Thymus serpyllum, dwarf rose form, most of the red or rose forms being too high for use between stepping stones, but this is

not. Thymus serpyllum minor, very small, extremely flat, lilac flowers, 50c.

Thymus serpyllum micans, a minute shrub, purple flowers, 75c.

Thymus serpyllum folis aurea variegata, fol-

iage edged gold, very flat, 35c. Thymus serpyllum folis argentea variegata, foliage edged silver and taller than above

Thymus serpyllum var. lanuginosus, woolly grey leaves, pink flowers, very dwarf, 20c.

Thymus vulgaris. Thymus, an unnamed narrow leaf fast creep-

ing form of merit.

Tunica saxifraga, 20c. Tunica saxifraga, double form, 60c.

Valerianella (unnamed), 2 inch mound of round leaves with pink balls in spring.

VERONICA, a family of easy doers for sun or very light shade and not fussy about soil. The variety rupestris is very vari-

able and has many distinct varieties. Veronica allioni, a larger V. repens in effect, 20c.

Veronica armena, blue flax-like flowers all season, 30c.

Veronica bellidifolia, 50c.

Veronica filiformis, fast evergreen neat dwarf creeper, blue.

Veronica pectinata, a woolly leaf like a larger Thymus lanuginosus, fast creeper, in blue or rose, 30c. Veronica repens, very minute and absolutely

flat, 15c.

Veronica rupestris, "Heavenly Blue," 3 in. high, clear blue, 35c.

Veronica rupestris "True Blue," a little larger than above.

Veronica rupestris flexuosa nana, very flat, intense blue, a plant with every possible merit, 50c.

Veronica rupestris flexuosa alba, prostrate. Veronica rupestris flexuosa rosea, prostrate. Veronica spicata corymbosa, 6 inch, blue,

25c Each or 6 for \$1, Delivery Free, if Not Otherwise Priced.